



DocuPrint CP105 b / CP205 / CP205 w DocuPrint CM205 b Colour LED Printer Print quality so vibrant, it captures everyone's attention

High resolution S-LED (Self–Scanning Light Emitting Diode) technology produces brilliant images



For small and growing businesses and home-office entrepreneurs who demand high quality colour printing, but may be tight on space, Fuji Xerox now has the perfect solution.

A technologically superior and highly affordable printer that provides stunning, high-quality colour printouts yet fits right on your desk. This is an entry level printing solution that is loaded with advanced technology you could previously only get from large and expensive standalone high end printers.

Award-winning technology

Fuji Xerox has raised the benchmark for high-quality, colour printing with a range of award-winning breakthroughs in printer technology that not only deliver eye-catching results, but are fast and simple to use, easy to maintain and save you money with every print out.

Quietly brilliant

Fuji Xerox's award winning S-LED (Self-Scanning Light Emitting Diode) and DELCIS (Digitally-Enhanced Lighting Control Imaging System) control technology ensure you get accurate, high-imaging quality at 1200 x 2400 dpi. Small and intelligent S-LED chips with fewer moving parts give you ultra-quiet operation, reduced energy usage, a high level of operational reliability and a sleek compact design.



DocuPrint CP105 b / CP205 / CP205 w / CM205 b Best resolution in its class at 1200 x 2400 dpi

High-speed colour correction

IReCT is a newly developed digital image registration control technology giving the ultra high precision of 1200 x 2400 dpi colour print out, by which image misalignments will be accurately corrected through digital process.

Brilliant highlight

MACS (Micro Accurate Control Screen) optimises the shape of screen elements in accordance with the image density of the area. This technology offers reproduction of smooth gradations and beautiful highlight.

Razor-sharp images

IE (Image Enhancement) technology^{*} improves flexibility in the number of screen lines, shapes and angles by scanning in two directions on a finer matrix to give you razor-sharp images, text and graphics.



Other brands in its class only offer up to 600 x 600 dpi

*Available on CP105 b, CP205 and CP205 w

Cost and energy saving



Fuji Xerox's award-winning technologies ensure you enjoy exceptional performance at every level. They also save you money with every page you print and help keep the environment greener. Toner-Save Mode reduces toner usage by up to 30 % for further cost savings.

Reduced energy consumption

EA(Emulsion Aggregation)-Eco toner is a newly developed special toner that allows fusing to paper at a much lower temperature so you can save up to 20 % power consumption and reduce CO₂



emissions by up to 35% compared to conventional Fuji Xerox toners. That means bigger cost savings for you and a greener planet for us all.

EA-Eco toner is completely oil free with the sharp-melting characteristics which provide the right gloss even on different types of paper.

Overall EA-Eco toner reduces power consumption by approximately 40 % in glossy mode. Only genuine Fuji Xerox EA-Eco toner offers you this energy saving performance.

Trouble free and user friendly

With few moving parts, your printer requires very little maintenance and has few replacement needs. The only thing you need to change is the toner cartridge and that just takes a second or two!

Product Overview

DocuPrint CP105 b



Fast and smart

- Fuji Xerox technology understands the pressures of business high-speed printing means you'll spend less time waiting for your prints.
- High-speed colour printouts at 10 ppm for CP105 b; 12 ppm for CP205 / CP205 w and CM205b.
- Huge memory of up to 64MB for DocuPrint CP105 b, 128MB for DocuPrint CP205 / CP205 w and DocuPrint CM205 b lets you handle more jobs faster.

Easy to use



Intuitive LCD screen on the DocuPrint CM205 b model. Large 4-line backlit LCD.



Direct scan to USB memory on the DocuPrint CM205 b allows you to store scanned data easily and quickly without the need of a PC.

Benefits

Go Green EA-Eco toner & LED	Product Quality	Best Resolution	Award Winning Technology SLED & DELCIS	More Savings! Save up to 30 % with Toner-Save Mode	Advanced Colour Precision TRect & MACS
--------------------------------	-----------------	-----------------	---	---	---

Exceptional printing quality offered at an affordable price

Specifications

Print Function Model						
	DocuPrint CP105 b	DocuPrint CP205 / CP205 w	DocuPrint CM205 b			
Print Speed (A4)	10 ppm colour; 12 ppm monochrome	12 ppm colour; 15	ppm monochrome			
Print Resolution		1200 x 2400 dpi (Fuji Xerox Image)				
First-page-out Time	29 seconds colour, 24 seconds monochrome	27 seconds colour, 22 seconds monochrome				
Warm-up Time	25 sec		36 seconds			
Memory (std/max)	64MB		8MB			
Processor	192MHz	384MHz	295MHz			
PDL	1 JZIWI IZ	Host-based	25510112			
Connectivity	Hi-speed USB 2.0	10/100BaseT, Hi-speed USB 2.0	Hi-speed USB 2.0			
	П-эреей 038 2.0	10/100Buse I, HI-speed 03B 2.0	HI-speed 03B 2.0			
		Specifications in this box available on DocuPrint CP205 w only				
WLAN Compliant Standard	_	IEEE 802.11b/g/n	_			
Wireless Security Protocol	_	WEP (64/128bits), WPA-PSK (TKIP, AES), WPA-2PSK (AES)	_			
Certifications	_	Wi-Fi, WPA2.0 (Personal)	_			
Wi-Fi Protected Setup (WPS)		Push Button Configuration (PBC), Personal Identification Number (PIN)				
With the certain of the second s		1 don bacon coningulation (i be), i cisonal acchancation nation (i 14)				
Supported Operating System	Windows XP (32bit/6/ibit) Server 20	03 (32 bit/6/ibit) Victo (32bit/6/ibit) Server 2008 (32bit/6/ibit) S	enver 2008P2 (6/ubit) 7 (32bit/6/ubit)			
	Windows XP (32bit/64bit), Server 2003 (32 bit/64bit), Vista (32bit/ 64bit), Server 2008 (32bit/64bit), Server 2008R2 (64bit), 7 (32bit/64bit) Mac OS X Version 10.4.11 or later (Power PC 32bit/Intel 32 bit), 10.5 with the latest update (Power PC 32/64bit/Intel 32/64 bit) and 10.6 with the latest update (Intel 32bit/64bit)					
Input Paper Size Main Tray	A4 SEF, B5 SEF, A5 SEF, Letter SEF, Executive SEF, Folio (8.5" x 13") SEF, Legal SEF, Envelope (Com-10 SEF, Monarch SEF/LEF, DL SEF/LEF, C5 SEF) Custom size width 76.2 to 215.9mm Length 127 to 355.6mm					
Media Input Capacity	150 sheets		10 sheets			
Media Output Capacity		100 sheets face-down				
Media Types Main Tray	Plain, Plain-thick, Recycled, Labels, Covers, Co	· · · · · · · · · · · · · · · ·	Plain, Plain-thick, Recycled, Labels, Covers, Coated, Envelop			
Input Paper Weight Main Tray		60 – 163gsm				
Maximum Duty Cycle		20,000 pages / month				
Print Features	Toner Save Mode, Manual Duplex, Print Cancel (from panel), N-up, Poster, Watermarks, Collate, Image Rotation (180degree)					
	_	_	Direct USB Print (TIFF/JPEG/PDF)			
	·		·			
Dimensions (WxDxH)	394 x 304	x 234mm	410 x 389 x 318mm			
Weight	11	kg	14.3kg			
Operating Environment Temperature		Storage: -20° to 40° C, Operating: 10° to 32° C				
Humidity		Operating Environment: 10% to 85% RH				
Sound Pressure Levels	Standby: 20dB(A), Printing: 47dB(A)B/W, 46dB(A)Colour	Standby: 21dB(A), Printing: 49dB(A)B/W, 48dB(A)Colour	Standby: 23dB(A), Printing: 50dB(A)B/W, 48dB(A)Colou			
Electrical Power		220–240 VAC, 50/60 Hz or 110–127 VAC, 50/60 Hz				
Power Consumption	Standby: 66W, Printing: 285W, Power save: 5W; ENERGY STAR® qualified	Standby: 69W, Printing: 340W, Power save: 7W; ENERGY STAR® qualified	Standby: 65W, Printing: 350W, Power save: 7W; ENERGY STAR® qualified			
Copy Function						
Copy Speed	_	—	Up to 12 ppm colour; 15 ppm monochrome			
Copy Resolution	—	—	Up to 600 x 600 dpi			
First-copy-out Time	_	_	40 seconds colour; 24 seconds monochrome			
Reduction / Enlargement	_		25 - 400 %			
Continuous Copy			1-99 pages			
continuous copy			TRC IC 2:1C ELE CILL(ELL CL			
Copy Feature	—	—	ID Cara Copy, 2 in T Copy, Eage Erase, Collate (Electronic Soft			
Copy Feature	_	_	ID Card Copy, 2 in 1 Copy, Edge Erase, Collate (Electronic Sort)			
Copy Feature Scan Function						
Copy Feature Scan Function Type Colour	-		Colour CIS			
Copy Feature Scan Function Type Colour Scanning Resolution		_	Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth		_	Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size		_	Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit 215.9 x 297mm			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size Scan Destinations		_	Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit 215.9 x 297mm Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size		_	Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size Scan Destinations		_	Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit 215.9 x 297mm Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size Scan Destinations Supported Driver Warranty			Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit 215.9 x 297mm Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size Scan Destinations Supported Driver Warranty Consumables			Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit 215.9 x 297mm Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size Scan Destinations Supported Driver Warranty Consumables Black Toner Cartridge (up to 2,000 pages*)		— — — — — — One year Quick Exchange warranty^ CT201591	Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit 215.9 x 297mm Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size Scan Destinations Supported Driver Warranty Consumables Black Toner Cartridge (up to 2,000 pages*) Cyan Toner Cartridge (up to 1,400 pages*)			Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit 215.9 x 297mm Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF			
Copy Feature Scan Function Type Colour Scanning Resolution Colour Depth Document Size Scan Destinations Supported Driver Warranty Consumables Black Toner Cartridge (up to 2,000 pages*)		— — — — — — One year Quick Exchange warranty^ CT201591	Colour CIS 1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi 24 bit 215.9 x 297mm Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF			

Descriptions in this material, product specifications and/or appearances are subject to change without prior notice due to improvements. Please note that the product colour appears differently from the actual colour as a result of properties of papers or printing ink. Windows are registered trademarks of Microsoft Corporation. Macintosh, Mac OS and Ether Talk are trademarks of Apple Computer, Inc. Other company names or product names are registered trademarks or trademarks of each company.

Before using the product, read the Instruction Manual carefully for proper use. Use the product with an appropriate adequate power source and voltage displayed.



Reproduction Prohibitions Please note that reproduction of the following is prohibited by law. Domestic and overseas bank notes and coins, government-issued securities, national bonds and local bond certificates. Unused postage stamps and post cards. Certificate stamps stipulated by law. The reproduction of works for copyright purposes (literary works, musical works, paintings, engravings, maps, cinematographic works, photographic works, etc.) is prohibited except when they are reproduced personally, at home or within limited range according to the above. This product is equipped with an anti-counterfeit feature. This feature is not intended to prevent illegal reproduction. Be extremely careful about the management of equipment used.

For more information or detailed product specifications, please call or email or visit our website at:

In the case of a failure or short circuit, an electric shock may result.

Fuji Xerox Asia Pacific 14a Rodborough Road Frenchs Forest NSW 2086 Australia 1300 793 769 New Zealand 0800 993 769 www.fujixeroxprinters.com.au www.fujixeroxprinters.co.nz

For Your Safe Use

Be sure to establish a ground.



XEROX, and the sphere of connectivity design are trademarks or registered trademarks of Xerox Corporation in the U.S. and or other countries. Other trademarks are the property of their respective owners.